L COMPACT STATIONARY CABINET



L COMPACT STATIONARY CABINET

The L Compact Stationary Cabinet has been developed to better meet our customers' needs in terms of dimensions offered, drawer configurations and accessories that fit in a compact cabinet.

The L Compact Stationary Cabinet is 18" wide and comes in two depths (21" and 27") and five heights (24", 28", 30", 34" and 40"). A 2" or 4" painted steel or stainless steel base can also be added to raise the cabinet height slightly or to create more space for feet. With the security system, you can lock all the drawers with a single action.

There are six different drawer heights available from 3" to 12", and the drawers can be accessorized with partitions, dividers and plastic bins for optimal organization of your parts. Each drawer has a 100lb. load capacity and an ergonomic, easy-grip handle.

The unique shape of the L drawer is a Rousseau Metal Inc. trademark and is also protected by an industrial design.

The L Compact Stationary Cabinet is an excellent alternative to the R heavy-duty line. Learn more in the following pages.

L3ABD-2418L3C

L3ABD-3442L3C

THE ROUSSEAU DIFFERENCE



100lb. load capacity per drawer. 100% extension for both drawer depths.



Partitions and dividers are clipped in.





Wide variety of drawer accessories available: fulldepth partitions, dividers, plastic bins, hanging file holders, protective foam, etc.



Central locking on the cabinet housing.



Six drawer heights available: 3", 4", 5", 6", 8" and 12".



PRECONFIGURED MODELS – CABINETS

e.g., L3ABD-2401

L3ABD-2402

NUMBER

DRAWER

DIMENSIONS

3"H to 5"H

6"H and 8"H

12"H

273

HERE ARE SOME OF OUR MOST POPULAR PRECONFIGURED MODELS OF THE L COMPACT STATIONARY CABINET

- The doors are factory installed with hinges on the left. They can be installed on the left upon request
- To order a lock on the cabinet housing (for models with more than one drawer) or on the door, add L3 to the end of the product number
- To add an L50 electronic lock to a door or to your L cabinet, see page 31
- To order a cabinet with a 4" base, add C to the end of the product . number for a painted steel base or D for a stainless steel base
- e.g., L3ABD-2401L3 C for an 18"W × 21"D × 24"H cabinet, with four drawers, a lock and a 4"H painted steel base



Drawer compartments are included in all models. See the table for the number of compartments.

To order drawers without compartments, replace the last two digits of the model number with the next even number up.

6 (0104)

4 (0102)

CABINE

with with	out	KA-KD-MK	272		
OF C	OF COMPARTMENTS (LAYOUT CODE)				
5	18"W×21"D	18"W×	27"D		
	9 (0206)	9 (02	06)		

6 (0104)

4 (0102)

24"HIGH ($W \times D \times H$)



4 DRAWERS L3ABD-2401 18"×21"×24" L3ABG-2401 18"×27"×24"



18"×21"×24" L3ABG-2403 18"×27"×24"



4 DRAWERS L3ABD-2405 L3ABG-2405



3 DRAWERS L3ABD-2415 18"×21"×24"



3 DRAWERS L3ABD-2407 18"×21"×24" L3ABG-2407 18"×27"×24"



18"×21"×24" 18"×27"×24'



4 DRAWERS L3ABD-2409 18"×21"×24" L3ABG-2409 18"×27"×24"



5 DRAWERS L3ABD-2419 18"×21"×24" L3ABG-2419 18"×27"×24"

12

18"×21"×28"

18"×27"×28"





1 DOOR / 1 SHELF L3ABD-2412 18"×21"×24" L3ABG-2412 18"×27"×24"

4 DRAWERS

L3ABD-2801

L3ABG-2801

6 DRAWERS

L3ABD-2821

L3ABG-2821

3 DRAWERS L3ABD-2421 L3ABG-2421

18"×21"×24"




L3ABG-2415 18"×27"×24'





3 DRAWERS L3ABD-2811 18"×21"×28" L3ABG-2811





4


L

L

DRAWERS	
3ABD-2835	18"×21"×28"
.3ABG-2835	18"×27"×28"









4 DRAWERS

L3ABD-2807

L3ABG-2807

18"×21"×28"

18"×27"×28"

18"×21"×28"

18"×27"×28"

3 DRAWERS L3ABD-2803 18"×21"×28" L3ABG-2803 18"×27"×28"



18"×21"×28"

18"×27"×28"

2 DOORS / 1 SHELF L3ABD-2828 L3ABG-2828



12

12

18"×21"×28"

18"×27"×28'



1 DRAWER/1 DOOR 18"×21"×28" L3ABD-2829 18"×27"×28" L3ABG-2829

4 DRAWERS

L3ABD-2819

3" 6" 12

18"×27"×24" 28"HIGH ($W \times D \times H$)





2 DRAWERS

L3ABD-2809

L3ABG-2809

PRECONFIGURED MODELS – CABINETS

34"HIGH ($W \times D \times H$)













5 DRAWERS	
L3ABD-3403	18"×21"×34"
L3ABG-3403	18"×27"×34"

4 DRAWERS L3ABD-3407_ L3ABG-3407_

18"×21"×34" 18"×27"×34"

1 DRAWER/1 DOOR/1 SHELF L3ABD-3411__ 18"×21"×34" L3ABG-3411_ 18"×27"×34"

5 DRAWERS L3ABD-3415_ 18"×21"×34" L3ABG-3415 18"×27"×34"


5 DRAWERS L3ABD-3419_ 18"×21"×34" L3ABG-3419_ 18"×27"×34"


















4" 4"




18"×21"×34"



6 DRAWERS	
L3ABD-3437	18"×21"×34
L3ABG-3437	18"×27"×34

DRAWERS	
3ABD-3447	18"×21"×34"
3ABG-3447	18"×27"×34"

6 DRAWERS L3ABD-3405 L3ABG-3405 18"×27"×34"



	6 DRAWERS
×21"×34"	L3ABD-3437
×27"×34"	L3ABG-3437

-		3" 4" 4"	
		4"	
		4"	
	-	5"	





18"×21"×40"

18"×27"×40"

12"

12"

12"

18"×21"×40"

18"×27"×40"

4 DRAWERS	
L3ABD-3421	18"×21"×34"
L3ABG-3421	18"×27"×34"

6 DRAWERS

L3ABD-4005

L3ABG-4005

3 DRAWERS

L3ABD-4007

L3ABG-4007

rousseau.com

28

1 DOOR/1 SHELF	
L3ABD-3436	18"×21":
L3ABG-3436	18"×27";

IELF		6 DRAW
_	18"×21"×34"	L3ABD-3
_	18"×27"×34"	L3ABG-3

	-	-	5"
			20"





5 DRAWERS

L3ABD-4047

L3ABG-4047_

6 DRAWERS


L3ABD-4025

L3ABG-4025

info@rousseau.com







18"×21"×40" 18"×27"×40"



35

6'

6"


8"

8'

18"×21"×40"


18"×27"×40"

4" 12"



4 DRAWERS/1 DOOR/1 SHELF 18"×21"×40"

L3ABD-4017_



4'

4"

6"

6"

8"

8'

18"×21"×40"

18"×27"×40"




7 DRAWERS

L3ABD-4027

L3ABG-4027

18"×21"×40"



4"

4"

5"

6"

6"

8

18"×21"×40"


18"×27"×40"









3 DRAWERS / 1 DOOR









6 DRAWERS

L3ABD-4029

L3ABG-4029

3'

4"

5"


6"


6"

12'

18"×21"×40"


18"×27"×40"

















6 DRAWERS


L3ABD-4031


L3ABG-4031



PRECONFIGURED MODELS – DRAWER COMPARTMENTS

DRAWER DIMENSIONS






For an 18"W × 21"D drawer with compartments, 8" drawer height, an L3 lock and a lock-in mechanism on the drawer.

18" × 21" (W × D) DRAWERS





PVC LINER _BD-J0403 L_

PROTECTIVE FOAM BD-J0103

6 COMPARTMENTS

BD-A0203


5 5




30 COMPARTMENTS L__BD-A0425_




L.



TOOL FOAM _BD-J0203 L_





BD-E030



PRECONFIGURED MODELS – DRAWER COMPARTMENTS

18" × 27" (W × D) DRAWERS

12

12

7,5

7,5

5

PARTITIONS AND DIVIDERS




5 5


8

8

8




6 12 COMPARTMENTS L__BG-A0209_



3 3 3 3 3 24 **5 COMPARTMENTS**

L__ BG-A0400_



3 3 3 3 3

10 COMPARTMENTS

L__BG-A0405__

12

12



3 3 3 3 3

15 COMPARTMENTS


L__BG-A0410_

8


8

8

5 5 5



L__BG-A0203





²⁰ COMPARTMENTS

PLASTIC BINS

9 COMPARTMENTS


L__BG-A0206_





BG-E020

L



24 BINS BG-E024


L

28 BINS

L



32 BINS _BG-E032 L




40 BINS L__BG-E040


FOAM/LINERS

16 BINS


L__BG-E016



PVC LINER _BG-J0403 L




PROTECTIVE FOAM BG-J0103



TOOL FOAM _BG-J0203









SECURITY MECHANISMS

ELECTRONIC LOCK SYSTEM FOR CABINET WITH DRAWERS



273

 Electronically locks all drawers in the cabinet at the same time No key required

L50

- Up to 20 different users can be programmed
- 4-8 digit access codes
- Simplifies access management to drawers
- To order the complete mechanism with a cabinet with drawers, order an LB00-DDHHL50
- To order as a replacement lock, order an HA60-L50

PRODUCT NO. L50

PRODUCT NO.

An LF91 security panel must be ordered to block access between two doors and

L3

if two different user access rights are required.

DRAWER LOCK



272

13

KA-KD-MK

NOTE:

- Two keys provided with each lock
- Compatible with all drawer dimensions •
 - The mechanism (covered by a galvanized steel box) requires 3"W ×1"D space inside the drawer
 - To order: Add L3 to the product number for the drawer or preconfigured compartment layout e.g., LF31-182106L3
 - For replacement parts or to retrofit this mechanism, order an HA51-L3
- L3 272 KA-KD-MK



LOCK-IN MECHANISM

ELECTRONIC LOCK FOR DOORS





- Electronically locks a cabinet door
- No key required
- Up to 20 different users can be programmed
- 4-8 digit access codes •
- Compatible with LB30 integrated doors
- To order: Add L50 to the door product code, e.g. LB30-1812L50

PRODUCT NO.

L50

NOTE: Cannot be retrofitted.

CENTRAL LOCKING SYSTEM

1

- · Locks all drawers in the cabinet at the same time Easy to retrofit •
 - The drawer layout can be changed without touching the locking mechanism
 - To order a lock, add L3 to the cabinet housing or preconfigured model number e.g., LA30-182134L3
 - To order a safety hasp, add LP to the cabinet housing product number e.g., LA30-182134LP
 - For replacement parts or to retrofit this mechanism, order an LB00-DDHH__ and specify the type of lock required

PRODUCT NO.

L3	Key lock
LP	Safety hasp

DOOR LOCK



- Two keys provided with each lock To order a key lock, add L3 to the door
- product number e.g., LB30-1812L3 To order a safety hasp, add LP to the door product number e.g., LB30-1812LP
- For replacement parts or to retrofit this mechanism, order an HA49-L3 or HA49-LP PRODUCT NO

TROBUCTINO.	
L3	Key lock
LP	Safety hasp
-	

NOTE: An LF91 security panel must be ordered to block access between two doors and if two different user access rights are required.

- Activated with the right hand by sliding the mechanism with thumb
- The drawer closes without having to • reactivate the sliding mechanism
- Stops drawers from opening on their own •
- Easy to retrofit •
- To order: Add B to the product number for the drawer or preconfigured compartment layout e.g., LF31-182106B
- For replacement parts or to retrofit this mechanism, order an LY01 and a LY02

PRODUCT NO.

в

CABINET

ACCESSORIES

CABINET

DRAWER AND HANDLE ACCESSORIES

HANDLE PROTECTOR

LF70

LG31

LG41



- Clips onto the drawer handle Made of transparent plastic •
 - Protects identification labels from dust, •
 - grease and dirt • Easy to remove
 - PRODUCT NO.

LF70-18



HANDLE LABELS



- Labels to be attached to handles under the handle protector (LF70)
- 30 labels per page (10 pages) • Print your own labels. A template is available on rousseau.com under
- Information Center > Document PRODUCT NO.

· Protects items stored in the drawer

Can be installed under partitions

• Oil resistant and non-absorbent

LF71-425075

Non-slip material

and dividers

Thickness: ³/₃₂"

PRODUCT NO.

LG40-1821-01

LG40-1827-01

•

HANGING FILE BARS

- For storing hanging files
 - Fits both letter and legal sizes
 - For 12"H drawers

PRODUCT NO. LG31-18



PROTECTIVE FOAM



· Protects items stored in the drawer Includes one piece of ¹/₄"-thick blue foam •

· includes one piece	of /4 thick blue routh
PRODUCT NO.	FOR DRAWER
LG41-1821-01	18"W×21"D
LG41-1827-01	18"W×27"D


NOTE: Partitions and dividers cannot be installed in the same drawer as this foam.

TOOL FOAM










пковостню.	TORDICAMEN
LG42-1821-01	18"W×21"D
LG42-1827-01	18"W×27"D

• Includes one piece of ¼"-thick blue foam





LG40

LF71

- LG42

FOR DRAWER

18"W×21"D

18"W×27"D

FRONT TO BACK PARTITION



• Divides the drawer along its depth

- Clip system locks dividers in place
- Galvanized steel
- Compatible with RG10 dividers, which can be used to make smaller compartments between each partition
- Compatible with plastic bins and PVC drawer liners

NOMINAL DRAWER	NOMINAL DRAWER DEPTH (ACTUAL)		
HEIGHT (ACTUAL)	21" (18")	27" (24")	
3" (1⁵⁄₃"H)	LG02-2103	LG02-2703	
4" (2⁵⁄₅"H)	LG02-2104	LG02-2704	
5" (3⁵‰"H)	LG02-2105	LG02-2705	
6" (4⁵⁄ଃ"H)	LG02-2106	LG02-2706	
8" (6⁵⁄₅"H)	LG02-2108	LG02-2708	
12" (8⁵⁄₅"H)	LG02-2110	LG02-2710	

PLASTIC BIN



- PA1 TENTED RG20
- For easier storing, moving and managing of small parts
- Lightweight and durable
- For 3"H and 4"H drawers
- 45° angled rim for easy identification of bin contents and removal of bins
- Compatible with partitions and dividers
 - 6" plastic bins can be subdivided

DI	MENSIO	NS		PRODUCT NO.	
W	D	Н	BIN	PARTITION	DIVIDER
3"	3"	2"	RG20-030302	-	-
4"	3"	2"	RG20-040302	-	-
6"	3"	2"	RG20-060302	RG22-0302	-
6"	6"	2"	RG20-060602	RG22-0602	RG24-0602
3"	3"	3"	RG20-030303	-	-
4"	3"	3"	RG20-040303	-	-
6"	3"	3"	RG20-060303	RG22-0303	-
6"	6"	3"	RG20-060603	RG22-0603	RG24-0603

•



DRAWER DIVIDER




• Dividers clip in place

• 45° angled edge for easy identification of compartment contents

• Adjustable in 3" increments (c/c)

NOMINAL DRAWER HEIGHT (ACTUAL)					
3" (1⁵‰"H)	4" (2⁵⁄₅"H)	5" (3%"H)	6" (4⁵‰"H)	8" (6%"H)	12" (85⁄8"H)
RG10-03003	RG10-03004	RG10-03005	RG10-03006	RG10-03008	RG10-03010
RG10-05003	RG10-05004	RG10-05005	RG10-05006	RG10-05008	RG10-05010
RG10-06003	RG10-06004	RG10-06005	RG10-06006	RG10-06008	RG10-06010
RG10-07503	RG10-07504	RG10-07505	RG10-07506	RG10-07508	RG10-07510
RG10-09003	RG10-09004	RG10-09005	RG10-09006	RG10-09008	RG10-09010
RG10-10003	RG10-10004	RG10-10005	RG10-10006	RG10-10008	RG10-10010
RG10-12003	RG10-12004	RG10-12005	RG10-12006	RG10-12008	RG10-12010
RG10-15003	RG10-15004	RG10-15005	RG10-15006	RG10-15008	RG10-15010
	(1%"H) RG10-03003 RG10-05003 RG10-06003 RG10-07503 RG10-09003 RG10-10003 RG10-12003	(1½"H) (2½"H) RG10-03003 RG10-03004 RG10-05003 RG10-05004 RG10-06003 RG10-06004 RG10-07503 RG10-07504 RG10-09003 RG10-09004 RG10-10003 RG10-10004 RG10-12003 RG10-12004	3" 4" 5" (1%"H) (2%"H) (3%"H) RG10-03003 RG10-03004 RG10-03005 RG10-05003 RG10-05004 RG10-05005 RG10-06003 RG10-06004 RG10-06005 RG10-07503 RG10-07504 RG10-07505 RG10-09003 RG10-09004 RG10-09005 RG10-10003 RG10-10004 RG10-10005 RG10-12003 RG10-12004 RG10-12005	3" 4" 5" 6" (1%"H) (2%"H) (3%"H) (4%"H) RG10-03003 RG10-03004 RG10-03005 RG10-03006 RG10-05003 RG10-05004 RG10-05005 RG10-05006 RG10-06003 RG10-06004 RG10-06005 RG10-06006 RG10-07503 RG10-07504 RG10-07505 RG10-07506 RG10-09003 RG10-09004 RG10-09005 RG10-09006 RG10-10003 RG10-10004 RG10-10005 RG10-10006 RG10-12003 RG10-12004 RG10-12005 RG10-12006	3" 4" 5" 6" 8" (1¼"H) (2¼"H) (3¼"H) (4¼"H) (6½"H) RG10-03003 RG10-03004 RG10-03005 RG10-03006 RG10-03008 RG10-05003 RG10-05004 RG10-05005 RG10-05006 RG10-05008 RG10-06003 RG10-06004 RG10-06005 RG10-06006 RG10-06008 RG10-07503 RG10-07504 RG10-07505 RG10-07506 RG10-07508 RG10-09003 RG10-09004 RG10-109005 RG10-09006 RG10-09008 RG10-10003 RG10-10004 RG10-10005 RG10-10006 RG10-10008 RG10-12003 RG10-12004 RG10-12005 RG10-12006 RG10-12008



^{2&}quot;H bins = $1\frac{1}{2}$ " actual height 3"H bins = $2\frac{1}{2}$ " actual height NOTE:

ACCESSORIES

CABINET TOPS

RESISTANT ACRYLIC/PVC PLASTIC LAMINATED TOP



• Ideal for assembly stations or for

WS08

- applications using solvents, oils or other chemical products Thickness: 1¹/₂"
- Particle board core
- Finish: sheet of gray polymer
- Premium-quality laminated top
- Excellent chemical resistance (can be in prolonged contact with a substance)
- Superior abrasion resistance compared with standard laminated tops
- Superior impact resistance compared with standard laminated tops
- Attractive appearance

STEEL TOP WITH RUBBER MAT

- Non-slip rubber surface
 - Includes edges on the sides and back
 - Height: 1"

STAINLESS STEEL TOP



- Acts as a work surface and protects the cabinet from impacts
- Particle board top with stainless steel . cover (#4 brushed finish)
- Excellent corrosion and chemical resistance
- formaldehyde emissions
- attractive appearance
- Thickness: 1³/₄"

PAINTED STEEL TOP WS14

- attractive appearance

Thickness: 1¹/₂"

Attractive appearance

Color: white

LAMINATED HARDWOOD TOP • Top for general industrial applications

- Thickness: 1³/₄"
 - Made from varnished hardwood slats Includes a 90° radius front edge for
 - extra comfort High impact resistance
 - Attractive appearance



- Acts as a work surface and protects the cabinet from impacts • Particle board top with painted steel cover
- Top complies with CARB regulations on formaldehyde emissions
- Includes welded corners for an
- Thickness: 1³/₄"

PLASTIC LAMINATED TOP



WS16

- Top for general use. Ideal for assembly stations, quality control and packaging
- Thickness: 1¹/₂"
- Color: white
- Attractive appearance
- Easy to clean .
- Includes a 90° radius front edge for extra comfort

DISSIPATIVE TOP



- Easy to clean Includes a 90° radius front edge for extra comfort
- Dissipates electrical charges that can damage electronic components
- The resistance point to point and point to ground is between 10° and 10° Ω

electronics inspection or assembly stations

DIMEN	ISIONS				CABINET TOPS			
w	D	ACRYLIC/PVC PLASTIC LAMINATED	LAMINATED HARDWOOD	PLASTIC LAMINATED	DISSIPATIVE	STEEL TOP WITH RUBBER MAT	STAINLESS STEEL	PAINTED STEEL
4.0"	21"		WS14-1821A*	WS16-1821A*		RC32-1821-01	RC35-1821	RC37-1821
18"	27"		WS14-1827A*	WS16-1827A*		RC32-1827-01	RC35-1827	RC37-1827
36"	21"	WS08-3621A*	WS14-3621A*	WS16-3621A*	WS17-3621A*	RC32-3621-01	RC35-3621	RC37-3621
30	27"	WS08-3627A*	WS14-3627A*	WS16-3627A*	WS17-3627A*	RC32-3627-01	RC35-3627	RC37-3627
54"	21"	WS08-5421A*	WS14-5421A*	WS16-5421A*	WS17-5421A*	RC32-5421-01	RC35-5421	RC37-5421
54"	27"	WS08-5427A*	WS14-5427A*	WS16-5427A*	WS17-5427A*	RC32-5427-01	RC35-5427	RC37-5427

NOTE: * Please check with your Customer Service representative for lead times.

ABINE

RC35

RC32

- Top complies with CARB regulations on
- Includes welded corners for an





WS17

RC37

Includes a 6" cord with $1M\Omega$ resistance

DISSIPATIVE TOP

Dissipates electric charges that can

damage electronic components

PRODUCT NO.

70000320

ESD PROTECTION

ESD CABINET



• Special paint dissipates electrical charges

- Includes a grounding cord and ground wrist • strap socket. The cord resistance is $1M\Omega$
- To order a cabinet with ESD protection, . please order an LC50-01 grounding kit and specify dissipative paint color Black 090

PRODUCT NO.

LC50-01

NOTE: Contact Customer Service for ESD paint prices.

GROUNDING WRIST STRAP



LC50

CONDUCTIVE PLASTIC BINS





BASES

LEVELING GLIDE KIT



LA74 • Adjusts the height of cabinets 1¹/₈" to 2"

- on uneven floor surfaces Can be installed under cabinets with or without bases
- Includes two brackets and four leveling glides

PRODUCT NO. WIDTH LA74-1801 18"

FLOOR ANCHORING KIT

Top view

L	Δ	7	6

- For anchoring a cabinet (without base) to the floor
- Includes one bolt for concrete floors

PRODUCT NO.	WIDTH
LA76-1801	18"

STACKING CABINETS

STACKING KIT

LA78



- For stacking an L compact cabinet on top of another
- Installs on the bottom of the top cabinet . Includes two brackets and anchoring hardware

0	
PRODUCT NO.	WIDTH
LA78-1801	18"



L3XJD-2802L3

COMPONENTS

HOUSINGS

L COMPACT CABINET HOUSING

.


- Drawers, shelves and doors can be
- installed in the housingThe housing units include knockouts:
 - On the top: for stacking an LD75 Housing for Drawer Unit or another LA30 L Compact Cabinet Housing. For the latter, order an LA78 Stacking Kit
 - On the sides and back: for assembling cabinets side to side and back to back, or for installing under a work surface. For the latter, order RA70 Cabinet Attachment Bars
 - A 2" painted or stainless steel base can be added to make cabinet heights of 26", 30", 32", 36" and 42"
 - A 4" painted or stainless steel base can be added to make cabinet heights of 28", 32", 34", 38" and 44"
 - To order a lock on the housing that locks all drawers at the same time, add <u>L3</u> to the product number, <u>see page 31</u>
 - To order a safety hasp, add LP to the product number, see page 31
 - For factory installation of an electronic lock, order an LB00-DDHH<u>L50</u>, <u>see page 31</u>

PRODUCT NO.	W×D×H
LA30-182124	18"×21"×24"
LA30-182128	18"×21"×28"
LA30-182130	18"×21"×30"
LA30-182134	18"×21"×34"
LA30-182140	18"×21"×40"
LA30-182724	18"×27"×24"
LA30-182728	18"×27"×28"
LA30-182730	18"×27"×30"
LA30-182734	18"×27"×34"
LA30-182740	18"×27"×40"











100lb. load capacity, 100% extension

LF31

LF44

- Vast choice of accessories available to customize the drawer to your storage needs
- Precision ball bearing drawer slides included
- Easy hook-on assembly
- For preconfigured drawer compartment layouts, <u>see pages 29-30</u>
- Drawer heights available: 3", 4", 5", 6", 8" and 12"
- To order: Add the drawer height required to the product number, e.g., LF31-182106
- To order a drawer lock, add <u>L3</u> to the drawer product number, e.g., LF31-182704<u>L3</u>. The mechanism (covered by a galvanized steel box) requires 3"W×1"D space inside the drawer
- To order a drawer lock-in mechanism, add "B" to the drawer product number, e.g., LF31-182103<u>B</u>


PRODUCT NO.	W×D	INSIDE DIM.
LF31-1821	18"×21"	15"×18"
LF31-1827	18"×27"	15"×24"

L 3-SIDES ACCESS ROLL-OUT SHELF



- 100lb. load capacity, 100% extension
- Precision ball bearing drawer
- slides included
- Easy hook-on assemblyGalvanized steel top with 1½"H back
- Total height: 4"

PRODUCT NO.	W×D	INSIDE DIM.
LF44-1821	18"×21"	15"×18"
LF44-1827	18"×27"	15"×24"



27" 18" KA-KD-MK 272



CABINET BASE

LA85/LA86

- Painted steel: LA85
- Stainless steel: LA86
- Heights available: 2" and 4"
- Recessed 2" from the front to create more space for feet
- Compatible with LA74 Leveling Glide Kit

To order: Specify the type of steel required, e.g., LA86-182704 for an 18"W×27"D×4"H stainless steel base

PRODUCT NO.	W×D×H
LA182102	18"×21"×2"
LA182104	18"×21"×4"
LA182702	18"×27"×2"
LA182704	18"×27"×4"

NOTE: Not compatible with LA76 Floor Anchoring Kit, LA78 Stacking Kit and casters

INTEGRATED DOOR

LB30



272

KA-KD-MK

273

- Seven standard heights available • Black plastic recessed handle
- The doors are factory installed with hinges on the left. They can be installed on the right upon request
- An LB24 Adjustable Shelf must be ordered as a storage surface for doors installed above a drawer or another door
- To order a key lock, add L3 to the product number
- To order a safety hasp, add <u>LP</u> to the door product number
- To order an electronic lock for doors, add L50 to the product number

W×H
18"×12"
18"×18"
18"×20"
18"×24"
18"×26"
18"×30"
18"×36"

SECURITY PANEL




- LF91
- · Divides the cabinet up for use by more than one user Adjustable in 1" increments c/c
- Must be ordered to:
- Block access between doors
- Block access when a door with lock is installed under a drawer
- Block the space left when a door is installed above a drawerr
- Two security panel versions available for housings with or without a central locking mechanism
- Galvanized steel
- To order: Specify the housing depth, 21" or 27"

PRODUCT NO. FOR LA30

LF91-18_01	With L3/LP on the housing
LF91-1802	Without L3/LP on the housing

HOUSING FOR DRAWER UNIT



Installs on a cabinet or under a work surface

- 100lb. load capacity for each drawer in the unit, max. 175lb. per unit
- Compatible with LF31 compact drawers (not included)
- To order: Specify the drawer unit housing depth required, 21" or 27"

PRODUCT NO.	INTERIOR DIM.
LD75-18_09	6"
LD75-18_12	9"
LD75-1815	12"

DRAWER UNIT COVER

LD76

I B10

LD75

Covers the top of an LD75 Housing for • Drawer Unit when it is installed on a work surface

	PRODUCT NO.	W×D	
N	LD76-1821	18"×21"	
	LD76-1827	18"×27"	

VERTICAL SECURITY BAR

272



KA-KD-MK

- Locks all drawers in a cabinet with a key or padlock
- The key or safety hasp is located at the top of the bar to facilitate access
- Covers a bank of drawers from 20" to 36" high
- Easy to assemble .
- . Installs on the right-hand side
- To order: Specify the type of lock required, LP for a safety hasp or L3 for a standard key lock

PRODUCT NO.	CABINET HEIGHT	VERTICAL SECURITY BAR HEIGHT
LB10-24A	24"	20"
LB10-28A	28"	24"
LB10-30A	30"	26"
LB10-34A	34"	30"
LB10-40A	40"	36"

ADJUSTABLE SHELF

LB24

- For storage of bulky items
 - Includes side and back edges
 - Height can be adjusted in 1" increments c/c
 - Up to 100lb. load capacity, evenly distributed
 - Two adjustable shelf versions available for housings with or without a central locking mechanism
 - Galvanized steel
 - To order: Specify the housing depth, 21" or 27"

PRODUCT NO.	FOR LA30
LB24-1801	With L3/LP/L50 on the housing
LB24-1802	Without L3/LP/L50 on the housing